

ACE Group

Molds For Making Bottle Caps

Manufacturer of Plastic Closures for the Soft Drink and Water Industry



3 Samir Mokhtar St., Ard Al Golf, Cairo - Egypt
Tel: 00202 6903100/200, Fax: 00202 6903500
E-mail: ace1@tedata.net.eg

Molds For Making Bottle Caps

ACE Group



3 Samir Mokhtar St., Ard Al Golf, Cairo - Egypt
Tel: 00202 6903100/200, Fax: 00202 6903500
E-mail: ace1@tedata.net.eg

Molds For Making Bottle Caps

ACE Group

Molds Inventory

➤ (3) **64 Cavities**; linerless 28-mm closure injection molds for use on PCO, 1716 bottle finishes. Can be used for applications such as water and other liquids or beverages (aseptic, cold and hot filled) using non-pressurized containers.

➤ (2) **64 Cavities**; 28-mm closure injection molds for use on PCO, 1716 bottle finishes. Can be used for lined closures for applications such as carbonated soft drinks and other liquid or beverages (aseptic, cold and hot-filled) using Pressurized containers.

➤ **32 Cavities**; linerless 38-mm closure injection molds for use on liquids or beverages using non-pressurized containers. Applications have included motor oil, liquids and beverages (aseptic and cold filled).

➤ (2) **16 Cavities**; linerless 38-mm closure injection molds for use on liquids or beverages using non-pressurized containers. Applications have included motor oil, liquids and beverages (aseptic and cold filled).

Numerous **1 and 2 Cavities** unit tools for prototyping in various sizes, including 28-mm, 38-mm, 43-mm, 63-mm, etc.

Numerous **Cores and Cavities** for linerless and lined 28-mm closure Injection Molds.

'ALL MOLDS HAVE HUSKY HOT RUNNER SYSTEM'

➤ SACMI CURLER/SLITTER

Main Control Panel; Type, BTA 002, 480, 15A, 60 hz, 45° C, 40 KA, I Max 7A, cod. BTV 900 86 802, N 10003608

Sacmi 8" Curler; Type, VTC 102, 18 Curler cures, s/n 10003737, New 2002

Control Panel "B" Curler; TVC 102, 480, 60 hz, 17A 45° C, 40 KA, I max 7A, Cud. BTV 900 86 802, N 10003737

Control Panel "B" Hopper; 480, 60 hz, 2A t. 45° C, 40 KA I max, 1A Code CAA 003 86 808, type

3 Samir Mokhtar St., Ard Al Golf, Cairo - Egypt

Tel: 00202 6903100/200, **Fax:** 00202 6903500

E-mail: ace1@tedata.net.eg

Molds For Making Bottle Caps

ACE Group

EL1500

Control Panel "B" Orinetator; 480, 60 hz, 2A 45° C, 40 KA, Imax 1A Cod. CAA 003 86-815 Type AC 10, Orientator Sacmi CE, manufacturer PESCE AL, type AC 10, s/n 4824, New 2002

Control Panel "A" Curler; TVC 102, 18 curler cores, s/n 10003736, New 2002

Control Panel "A" Curler; TVC 102, 480, 60 hz, 17A, 45 degree C, 40 KA, Imax 7A, Cod. BTV 900 86 802, s/n 10003736 Com.

Control Panel "A" Hopper; 480, 60 hz, 2A t. 45° C 40 KA Imax, 1A Code CAA 003 86 808, type EL1500

Control Panel "A" Orinetator; 480, 60 hz, 2A 45° C, 40 KA, Imax 1A Cod. CAA 003 86-815 Type AC 10, Orientator, type A-C10, New 2002

Sacmi A&B Slitter, type BTA 002, s/n 10003614, New 2002

➤ SACMI LINER SYSTEM II

Control Panel; V-110, Hz 60, In: 2, Type PMD 200

Orientator; **Sacmi** type ATV 10, New 1998

Power Panel; COD PMD 200 86 807, 24 capacity x3

Power Panel; COD PMD 200 86 806,

24 capacity x3, 1) Pellets, 2) Liner, 3) Inserter

➤ CURLERS

Control Panel "A" Curler; TVC 102, 18 curler cores, s/n 10003736, New 2002

Control Panel "A" Curler; TVC 102, 480, 60 hz, 17A, 45 degree C, 40 KA, Imax 7A, Cod. BTV 900 86 802, s/n 10003736 Com.

➤ VERTICALMILL

2HP **Bridgeport** Vertical Mill, 9" x 42" table, vari-speed, P.F., s/n 247062

Grinders

10" x 18" **Boyar Schultz** 2A Hyd. Surface

Grinder, wheel dresser, 1 HP, coolant,

3 Samir Mokhtar St., Ard Al Golf, Cairo - Egypt

Tel: 00202 6903100/200, **Fax:** 00202 6903500

E-mail: ace1@tedata.net.eg

Molds For Making Bottle Caps

ACE Group

s/n 175128

10" x 20" **Jones & Shipman** Univ. Cyl. Grinder,
coolant, internal attachment, s/n 50145

12"x36" Model URB 1000 A, **Kikurda**,
Incremental Down Feed, s/n: 7456, New 1986

➤ **MIXER**

Micro Conomix Model MCMX3, s/n 9A0176

➤ **ENVIROMENTAL CHAMBERS**

Jordon Temperature Controlled Box, Model
SPSAK 48VT, s/n S7398899A

Forma Scientific Environmental Chamber

➤ **CHILLER**

Advantage Model 59A45-4101X, s/n 8437